




## 504T/ 507T Medical-Grade Integrated LCD System

### Display-Integrated Digital System for Point-of-Care Solutions

The DT Research medical grade all-in-one system integrates a 24-inch or 27-inch TFT-LCD with an energy efficient Intel® Pentium® Gold or Core™ i platform in a fanless, slim, bacteria-resistant enclosure. Designed for medical and healthcare applications, this LCD-integrated system provides space-saving solutions for health professionals to monitor, record and retrieve patient information as well as other point-of-care applications. The built-in Wi-Fi connections also make data access efficient and optimizes staff workflow.



### Features

- 24" or 27" capacitive touch screen
- Intel® 10<sup>th</sup> Generation Pentium® Gold or Core™ i processor
- Microsoft® Windows® 10 IoT Enterprise or Ubuntu operating system
- Energy Star 8.0 certified (504T)
- Elegant all-in-one, slim, fanless design
- Slim, all-in-one design with antimicrobial enclosure
- IP65 rated front panel with IPX2 rated enclosure
- VESA-mountable for flexibility in mounting and placement

### Major Options

- 4K resolution screen (507T)
- Integrated UPS battery
- Front camera
- Smart card/CAC reader
- Single/dual frequency NFC/RFID reader

# Specifications



Model	504T	507T
-------	------	------

## System

CPU	Intel® Pentium® Gold-G6400T, 2-core, 3.4GHz Intel® Core™ i5-10500T, 6-core, 2.3GHz (up to 3.8GHz) Intel® Core™ i7-10700T, 8-core, 2.0GHz (up to 4.5GHz) Intel® Core™ i9-10900T, 10-core, 1.9GHz (up to 4.6GHz)	
RAM	8GB to 64GB	8GB to 64GB
Storage	256GB to 4TB Flash	256GB to 4TGB Flash
Operating System	Microsoft® Windows® 10 IoT Enterprise or Ubuntu	
Display	23.8" capacitive touch screen	27" capacitive touch screen
Display Resolution	1920 x 1080	1920 x 1080, or 3840 x 2160 (optional)
Trusted Platform Module	TPM 2.0	TPM 2.0
Battery Pack	Optional integrated UPS battery x 1	Optional integrated UPS battery x 1
Buttons	1 power and 4 programmable buttons	1 power and 4 programmable buttons
Speaker and Microphone	Built-in speaker and microphone	Built-in speaker and microphone

## Network Interface

WLAN	Wi-Fi 802.11ax, 2.4GHz/ 5GHz dual band	Wi-Fi 802.11ax, 2.4GHz/ 5GHz dual band
------	--	--

## I/O Ports

USB Port	USB 3.0 x 4 (ESD protection: ±17KV by air, ±12KV by contact), USB 2.0 x 2 (ESD protection: ±18KV by air, ±12KV by contact)	USB 3.0 x 4 (ESD protection: ±17KV by air, ±12KV by contact), USB 2.0 x 2 (ESD protection: ±18KV by air, ±12KV by contact)
COM Port	3	3
Audio-out	1	1
HDMI-out	1 (ESD protection: ±17KV by air, ±12KV by contact)	1 (ESD protection: ±17KV by air, ±12KV by contact)
Ethernet	2 (ESD protection: ±30KV by air, ±30KV by contact)	2 (ESD protection: ±30KV by air, ±30KV by contact)
DC-in	1	1
Potential Equalization Conductor	1 (optional)	1 (optional)

## Mechanical and Environmental

Fan/Fanless	Fanless	Fanless
AC/DC Adapter	Input 100-240V AC; Output 19V DC, 6.31A	Input 100-240V AC; Output 19V DC, 6.31A
Enclosure	Aluminum alloy, antimicrobial enclosure	Aluminum alloy, antimicrobial enclosure
Dimensions (H x W x D)	14.6 x 22.3 x 1.8 in/ 370.5 x 567 x 45.2 mm	16.2 x 25.2 x 1.8 in/ 411.8 x 639.1 x 45 mm
Weight	17.6 lbs/ 8 kg	23.15 lbs/ 10.5 kg
VESA-compliant Mounting	100mm x 100mm VESA standard	100mm x 100mm VESA standard
Water Resistance	Front panel: IP65; Enclosure: IPX2	Front panel: IP65; Enclosure: IPX2
Regulatory	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, Energy Star 8.0, RCM, CCC	ANSI/AAMI ES60601-1, IEC60601-1, IEC60601-1-2, FCC Part 18, FCC Part 15 Class B, GB 17625.1, GB 4943.1, GB/T 9254, CE-EMC, CE-RED, RCM, CCC
Temperature	Operation: 0°C to 40°C (32°F to 104°F); Storage: -20°C to 60°C (-4°F to 140°F)	
Humidity	0% – 90% non-condensing	

## Major Options

Camera	Full-HD front camera	Full-HD front camera
Smart Card/CAC Reader	Full-slot, reads ISO 7816 T=0, T=1; 1.8/3/5V smart card	
NFC/ RFID Reader	HF 13.56MHz, ISO standard 15693, 14443A(B) & 18000-3 mode-1, or dual frequency, reads both 125KHz and 13.56MHz credentials	

\* Specifications subject to change without notice.

## Accessories

- Desktop Stand
- Medical Grade AC Adapter
- Battery
- Battery Gang Charger
- 3-Slot Battery Holster
- Battery Holster

