



DA302EP Android Rugged Tablet

Slim, Rugged, Multi-functional Wireless Computing

The DA302EP Android Rugged Tablet features the integration of a sunlight readable 10.1" capacitive touchscreen and a high performance, energy-efficient Qualcomm[®] processor within a slim, lightweight, durable casing. With built-in Wi-Fi, as well as options for front/ back cameras, barcode scanner, GPS and 4G LTE, this robust tablet offers seamless information capture and transmission for optimal workflow. IP65 rated and MIL-STD-810H certified with a wide temperature range, the DA302EP Android Rugged Tablet provides reliable operation in harsh, mission-critical environments.





Features

- 10.1" LED-backlit, sunlight-readable (800 nits) touchscreen LCD, digital pen support
- Qualcomm[®] 8-core processor
- Android 13 operating system
- Hot-swappable battery for 24/7 operation
- Built-in microphone and speaker
- Slim keyboard option for 2-in-1 applications
- IP65-rated for water and dust resistance
- MIL-STD-810H for shock and vibration protection

Major Options

- 8 MP Front Camera and 13 MP Back Camera
- 2D Barcode Scanner (Reads 1D and 2D)
- 4G LTE/AWS
- GPS Module

Specifications

Accessories



Model	DA302EP	Digital Per	1	
System		Pen Tip	Diameter: 0.059 in/1.5mm, rep	laceab
CPU	Qualcomm [®] 8-Core (1.95 GHz to 2.2 GHz)	Buttons	2 side buttons (right-click and eraser	
RAM	8GB	Battery	1 AAAA, replaceable	
Storage	128GB flash	Color	Black Length: 5.5 in/140 mm	
Operating System	Android 13	Dimensions	(including pen tip)	
Display	10.1" LED-Backlit, Sunlight-Readable (800 nits) Touchscreen LCD	Weight	Diameter: 0.38 in/9.7 mm 0.055 lbs/25 g	
Display Resolution	1920 × 1200			
Control Switch and Buttons	1 X Power Button, 2 X Brightness Control Buttons, 5 X Programmable Buttons	Clim Data	chable Keybeerd	
Microphone	Built-In Microphone	Slim Detachable Keyboard		
Speaker	Built-In 2W Speaker	Designed to connect to DA302EP tablet without switching and pairing.		
Network Interface				
WLAN	Wi-Fi 802.11ac, 2.4/5 GHz dual band	Tablet Mount Cradle		
ВТ	5.0	Offers Tablet storage and security with		
I/O Ports			y and I/O ports.	
USB Ports	1 x USB 3.0, 1 x latest USB/charging	-		
Headset Jack	1 (3.5 mm)			
Ethernet Port	1	VESA Mo	unting Bracket	
DC-In Jack	1	Offers Table	t storage and security.	
Mechanical and Environm	ental		storage and security.	
AC/DC Adapter	Input: 100 to 240V AC; Output: 19V DC, 3.42A	-		
Battery Pack	Hot-Swappable Battery (11.4V, 3800mAh) (Optional) SHot-Swappable Battery (11.4V, 5400mAh) (Optional) Hot-Swappable Battery, (11.4V, 8000mAh)	Battery C	harging Kits	
Enclosure	ABS + PC plastics and magnesium-aluminum alloy with anti-microbial coating	7		
Dimensions (H x W x D)	7.7 x 10.71 x 0.79 in/195.6 x 272 x 20 mm			
Weight	TBD			
Durability	IP65 and MIL-STD-810H Certified	~		
Regulatory	CE, FCC Class B, RoHS, UL			
Temperature	Operation: -10°C to 60°C (14°F to 140°F); Storage: -55°C to 70°C (-67°F to 158°F)	Battery	Pack	
Humidity	0% to 90% Non-Condensing			
Major Options		-	V	
Barcode Scanner	2D Barcode Scanner (Reads 1D and 2D)			
Camera	8 MP Front Camera and 13 MP Back Camera			
GNSS	GPS			
Mobile Broadband	4G			

* Specifications subject to change without notice.



DT Research, Inc. **Research**2000 Concourse Drive, San Jose, CA 95131www.dtresearch.comCopyright © 2023, DT Research, Inc. All Rights Reserved. **Product Configurator**

